

CLAIM AMENDMENT

Please amend claims 1 and 13 as follows.

1. (Currently Amended) A method for managing a cache on a mobile device, comprising the steps of:
  - receiving a call for loading a set of files at a mobile device, said set of files including an application or data;
  - searching a local database at said mobile device for a matching record to said set of files;
  - based on said matching record, determining if said set of files is out-of-date or if a scheduled update is overdue;
  - updating said set of files if it is out-of-date;
  - performing a status check or update if said scheduled update is overdue; ~~and~~
  - loading said set of files if it is not out-of-date and said scheduled update is not overdue;
  - downloading said set of files if it is out-of-date;
  - calculating a cache benefit index for said set of files, said cache benefit index indicating a total benefit for caching said set of files; and
  - determining whether to cache said set of files on said local database based on said cache benefit index.
2. (Original) The method of claim 1, further comprising the step of:
  - loading an updated set of files after an update or status check is complete.
3. (Original) The method of claim 1, wherein said updating step includes the steps of:
  - opening a communications session with a gateway or a remote server;
  - sending an update request to said gateway or said remote server;
  - receiving an update response, said response including at least one difference file for updating said set of files;
  - closing said communications session; and
  - updating a local file system and said database based on said update response.

4. (Original) The method of claim 3, wherein said step of updating a local file system and said database includes the step of:
  - loading said at least one difference file into a random access memory;
  - loading a copy of said set of files into said random access memory;
  - applying said at least one difference file on said set of files in said random access memory to obtain an updated set of files;
  - copying said updated set of files into said local file system;
  - removing said set of files from said local file system;
  - updating said database based on said updated set of files; and
  - removing said at least one difference file and said set of files from said random access memory.
5. (Original) The method of claim 4, further comprising the steps of:
  - executing said updated set of files; and
  - removing said updated set of files from said random access memory.
6. (Original) The method of claim 4, wherein said step of applying said at least one difference file includes the steps of:
  - parsing said at least one difference file to determine whether to add, modify, or delete a file in said set of files; and
  - updating said local file system and said database based on said parsing.
7. (Previously Amended) The method of claim 3, further comprising the steps of:
  - parsing said update response for a broadcast message;
  - accessing and updating said database based on said broadcast message; and
  - sending a broadcast response to said gateway or said remote server.
8. (Original) The method of claim 7, wherein said accessing and updating steps include the step of:
  - selectively marking at least one set of files as out-of-date.
9. (Original) The method of claim 1, wherein said step of performing a status check or update includes the steps of:

opening a communications session with a gateway or a remote server;  
sending a status check or update request to said gateway or said remote server;  
receiving a status check or update response from said gateway or said remote server;  
closing said communications session; and  
updating a local file system and a database if at least one difference file is included in said status check or update response.

10. (Original) The method of claim 9, wherein said step of updating a local file system and a database includes the steps of:

loading said at least one difference file into a random access memory;  
loading a copy of said set of files into said random access memory;  
applying said at least one difference file on said set of files in said random access memory to obtain an updated set of files;  
copying said updated set of files into said local file system;  
removing said set of files from said local file system;  
updating said database based on said updated set of files; and  
removing said at least one difference file and said set of files from said random access memory.

11. (Original) The method of claim 10, wherein said step of applying said at least one difference file includes the steps of:

parsing said at least one difference file to determine whether to add, modify, or delete a file in said set of files; and  
updating said local file system and said database based on said parsing.

12. (Original) The method of claim 9, further comprising the steps of:

parsing said status check or update response for a broadcast message;  
selectively marking at least one set of files as out-of-date based on said broadcast message; and  
sending a broadcast response to said gateway or said remote server.

13. (Currently Amended) A computer program product, embedded in a computer readable medium, for managing a cache on a mobile device, comprising:

logic code for receiving a call for loading a set of files at a mobile device, said set of files including an application or data;

logic code for searching a local database at said mobile device for a matching record to said set of files;

logic code for determining if said set of files is out-of-date or if a scheduled update is overdue based on said matching record;

logic code for updating said set of files if it is out-of-date;

logic code for performing a status check or update if said scheduled update is overdue; and

logic code for loading said set of files if it is not out-of-date and said scheduled update is not overdue;

logic code for downloading said set of files if it is out-of-date;

logic code for calculating a cache benefit index for said set of files, said cache benefit index indicating a total benefit for caching said set of files; and

logic code for determining whether to cache said set of files on said local database based on said cache benefit index.

14. (Original) The computer program product of claim 13, further comprising:

logic code for loading an updated set of files after an update or status check is complete.

15. (Original) The computer program product of claim 13, wherein said logic code for updating includes:

logic code for opening a communications session with a gateway or a remote server;

logic code for sending an update request to said gateway or said remote server;

logic code for receiving an update response, said response including at least one difference file for updating said set of files;

logic code for closing said communications session; and

logic code for updating a local file system and said database based on said update response.

16. (Original) The computer program product of claim 15, wherein said logic code for updating a local file system and said database includes:

logic code for loading said at least one difference file into a random access memory;

logic code for loading a copy of said set of files into said random access memory;

logic code for applying said at least one difference file on said set of files in said random access memory to obtain an updated set of files;

logic code for copying said updated set of files into said local file system;

logic code for removing said set of files from said local file system;

logic code for updating said database based on said updated set of files; and

logic code for removing said at least one difference file and said set of files from said random access memory.

17. (Original) The computer program product of claim 16, further comprising:  
logic code for executing said updated set of files; and  
logic code for removing said updated set of files from said random access memory.

18. (Original) The computer program product of claim 16, wherein said logic code for applying said at least one difference file includes:  
logic code for parsing said at least one difference file to determine whether to add, modify, or delete a file in said set of files; and  
logic code for updating said local file system and said database based on said parsing.

19. (Previously Amended) The computer program product of claim 15, further comprising:  
logic code for parsing said update response for a broadcast message;  
logic code for accessing and updating said database based on said broadcast message; and  
logic code for sending a broadcast response to said gateway or said remote server.

20. (Original) The computer program product of claim 19, wherein said logic code for accessing and updating include:

logic code for selectively marking at least one set of files as out-of-date.

21. (Original) The computer program product of claim 13, wherein said logic code for performing a status check or update includes:

logic code for opening a communications session with a gateway or a remote server;

logic code for sending a status check or update request to said gateway or said remote server;

logic code for receiving a status check or update response from said gateway or said remote server;

logic code for closing said communications session; and

logic code for updating a local file system and a database if at least one difference file is included in said status check or update response.

22. (Original) The computer program product of claim 21, wherein said logic code for updating a local file system includes:

logic code for loading said at least one difference file into a random access memory;

logic code for loading a copy of said set of files into said random access memory;

logic code for applying said at least one difference file on said set of files in said random access memory to obtain an updated set of files;

logic code for copying said updated set of files into said local file system;

logic code for removing said set of files from said local file system;

logic code for updating said database based on said updated set of files; and

logic code for removing said at least one difference file and said set of files from said random access memory.

23. (Original) The computer program product of claim 22, wherein said logic code for applying said at least one difference file includes:

logic code for parsing said at least one difference file to determine whether to add, modify, or delete a file in said set of files; and

logic code for updating said local file system and said database based on said parsing.

24. (Original) The computer program product of claim 21, further comprising:
- logic code for parsing said status check or update response for a broadcast message;
  - logic code for selectively marking at least one set of files as out-of-date based on said broadcast message; and
  - logic code for sending a broadcast response to said gateway or said remote server.